








ISUZU



7







State 1 1

DISCOVER THE NEW PRIDE

-

1211211

-i-i-i

ISUSU



PRIDE OF DISTINCTIVE DESIGN

ALL NEW RIDE. ALL NEW PRIDE.

With distinctive design, effortless comfort, and unrivalled technology, ALL-NEW ISUZU D-MAX takes you to the next level of automotive, where you can discover your new pride in every journey. Designed to make you proud at first sight, ALL-NEW ISUZU D-MAX comes with bold but emotional appearance. From striking Bi-LED headlamps to sophisticated Dual-Sonic Taillamps and modernised 18" wheels, giving it an assertive yet superb look that will catch all eyes.



Bi-LED Headlamps and Fog Lamps



Front Bumper Cladding



ISUZU

Front Grille



ISUZU

Integrated Rear Bumper





18-inch Matte Black Alloy Wheels





Overfender Decoration





Cargo Extender and Bedliner



Dual-Sonic LED Taillamps

- Bi-LED Headlamps with Integrated Daytime Running Lights illuminate further and wider for maximum visibility with auto on/off
- Multifunctional Daylights enhance ultimate safety and luxury
- Front Bumper Cladding uplifts sportish look and protect the bumper from scratches and scuffs
- Front Grille adds up bold and aggressive style

ISUZU

- Integrated Rear Bumper new one-piece design for more dynamic appearance
- 18" Alloy Wheels In Matte Black reflect tough and elegant look in every angle
- Overfender Decoration adds up superb style and attraction
- Cargo Extender and Bedliner maximize the load capacity with extra protection
- Dual-Sonic LED Taillamps provide improved visibility and safety
- Rear Fog Lamp enhance safety by revealing the position of a vehicle in the limited visibility conditions

PRIDE OF SUPERIOR COMFORT

Let your dignity shine from the inside. ALL-NEW ISUZU D-MAX provides spacious and sumptuous cabin with Sharp Horizontal Layers. With the use of premium materials in all elements, class-leading entertainment system and Usability Design concept, your journey can never be more desirable.

• Wider Cabin with wider headroom and legroom for ultimate convenience and comfort • Multi-functional Steering Wheel with tilt and telescopic adjustment for the perfect driving position • 4.2 Smart MID ingeniously designed to display various information including telephone and entertainment system

- with TFT technology for clearer visibility
- 9" Infotainment Display with HD touchscreen easy to use with various features including Apple CarPlay and Android Auto, with multi-tasking system to display two functions simultaneously
- Dual-Zone Climate Control allows the driver and front-seat passenger to set individual temperature



- AVEC (Anti Vibration Elastic Comfort) Front Seats help decrease tiredness with 8-way electrically adjustable driver's seat
- Multi-Purpose Space with 10 bottle and cup holders
- 8-Speaker Sound System with Dynamic Surround Sound technology
- Rear Seat Air Vents expand cool and comfort throughout the cabin





Wider Cabin



4.2" Smart MID

Multi-functional Steering Wheel



and Dual-Zone Climate Control



8-way Electrically Adjustable Driver's Seat



8-Speaker Sound System



Multi-Purpose Space with 10 bottle and cup holders



Rear Seat Air Vents



Automatic Dimming Rear View Mirror





PRIDE OF SUPERB PERFORMANCE





New! 3.0 Ddi Blue Power

190hp at 3,600 rpm with 450 Nm Torque at 1,600 - 2,600 rpm

Great power comes with greater efficiency. As the world leader in diesel engineering, ALL NEW ISUZU D-MAX engines deliver uncompromising performance while meeting the latest emissions standards and boost fuel economy even further with improved turbocharger response, precise fuel injection control, and low engine noise.



6-Speed Automatic Transmission with Rev Tronic Mode

• Allow manual gear change with precise and quick response




Terrain Command

• Fast and accurately switch from 2 to 4 - wheel drive to suit all road conditions

800mm water wading capacity

• Leave your worries behind when crossing streams or flooded areas





1.9 Ddi Blue Power

ISUZU Dynamic Drive Platform

 Innovative technology which combines body structure, chassis, engine and suspension to work in perfect harmony

EIRO

EURO 4 Emissions Standards Designed to meet with the world-class exhaust emissions standards

ICUZU

ISUZU

to minimizing its impact on the environment

PRIDE OF EXCEPTIONAL SAFETY & DURABILITY


Drive at ease with ultimate peace of mind. ALL-NEW ISUZU D-MAX are packed with full ranges of safety features that ingeniously prevent and protect you and your family from dangerous situations - whenever and wherever it takes. Active & Passive Safety: safety systems to prevent and protect during accident

DURABILITY

- Redesigned body structure using Ultra-High Tensile steel
- 23% stronger chassis, molded with reinforced steel to support heavy load and tough ride
- Cross Member enhances durability
- Timing Gear & Chain designed to last the life of your engine
- Melt-in Liner cylinder block hardened by induction wave - ISUZU's unique identity



Built-in Rear View Camera with Lane Guide








151121







Electronic Brake-force Distribution (EBD) Emergency Stop Signal (ESS)





Surrounding SRS Airbags

Crash Unlock





ISUZU MATRIX SAFETY INTELLIGENCE

Reach your desired destinations with the highest level of confidence. ALL-NEW ISUZU D-MAX is fully equipped with the modest advanced safety technology designed to integrate all safety systems to work together as one. With the Advanced Driver Assistance Systems (ADAS) by innovation of 3D Imaging Stereo Camera - the dual front camera, ALL-NEW ISUZU D-MAX comes with 2 radars and 8 sensors provide accuracy and precisely monitoring and detecting road lines and surroundings to optimize your control, comfort, and convenience.





• Full-Speed Range Adaptive Cruise Control • Lane Departure Warning (LDW) (ACC) with Stop and Go Function



• Forward Collision Warning (FCW)



- Autonomous Emergency Braking (AEB)
- Pedal Misapplication Mitigation (PMM)
- Blind Spot Monitoring (BSM)
- Multi Collision Brake (MCB)



• Automatic High Beam (AHB)



- Turn Assist with Autonomous Emergency Brakina (TA with AEB)
- Rear Cross Traffic Alert (RCTA)
- Parking Aid System
- Manual Speed Limiter (MSL)

PRIDE OF UNIQUE INNOVATIVE TECHNOLOGY

ISUZU

Taking pride has never been so advanced. ALL-NEW ISUZU D-MAX is fully equipped with latest class-leading technologies to make your journey even more gratifying.

- Welcome Light automatically lights up when approaching the vehicle within 2 metres
- Walk Away Auto Lock automatically locks the door when you are 3 metres away from the vehicle
- Follow Me Home keeps the headlights on for 30 seconds after the engine's off
- Auto Light Off turns off the headlights when the engine's off and the door's opened
- IR Cut Windshield fillers infrared, UVA and UVB to help decreasing cabin temperature
- Rain Sensing Wiper with Integrated Wiper Blade
- Remote Engine Start remotely start your car engine within the range of 20 metres





Welcome Light

Follow Me Home

ISUZU D-MAX TESTED JANUARY 2021

5-Star ASEAN NCAP Safety Standard

Walk Away Auto Lock



IR Cut Windshield



Rain Sensing Wiper with Integrated Wiper Blade



Remote Engine Start



EURO 4 Emissions Standards Designed to meet with the world-class exhaust emissions standards to minimizing its impact on the environment

ISUZU

SILKY WHITE PEARL

15020

ISUZU

VALENCIA ORANGE METALLIC

SAPPHIRE BLUE MICA

PRIDE OF OUTSTANDING STYLE

Stand tall, express your inner desire, and show the world your remarkable pride.

MERCURY SILVER METALLIC

ONYX BLACK MICA





ISUZU



To change terms and conditions without prior notice.Standard equipment does not include accessories.

Colors shown in catalog may differ from actual colors due to printing process.
Before use, please study the conditions and how to use from the car manual in detail for safety and efficiency in use.

RED SPINEL MICA

Black Leather

SPECIFICATIONS

			Crow	V CAB		Pa	gular Cab
	Mode						
	Miode			Hi-La		Spark 4x4	Spark 4x2
Details		3.0 Ddi LSE	3.0 Ddi	1.9 Ddi	1.9 Ddi	3.0 Ddi	1.9 Ddi
		6AT	6MT	6AT	6MT	6MT	6MT
Engine			100				
Туре		4)]3	-ICX	RZ4E		4JJ3-TCX	RZ4E-TC
Di la cita di				In-line 4-cylinder Intercooler VG	v 1	0.000	1 000
Displacement (cm ³)		2,9	104.9	1,8		2,999 95.4 x 104.9	1,898
Bore x Stroke (mm)				80.0 ×			80.0 × 94.4
Combustion radio			b.3	16		16.3	16.5
Max Power kW (PS)/rpm			0)/3,600	110(150		140 (190)/3,600	110 (150)/3,600
Max Torque Nm (kgm)/rpm		450/1,60	00 - 2,600	350/1,80		450/1,600 - 2,600	350/1,800 - 2,600
Fuel system				Common-rail engine, Electronic			
Fuel type				Die			
Fuel tank capacity (litre) Transmission				70	D		
			MVL-6Y				
Manual transmission	ا مادناه	AVVR6B45-II	///VE-OY	AVVR6B45-II		MVL-6Y	
Automatic transmission with sequential Gear ratio		AVVR6B45-II 3.6	4.942			4.942	
Gear rano	1 st 2nd	3.6	2.686	3.6 2.090		2.686	
	2nd 3rd	1.488	2.686	1.488		1.527	
	3rd 4th	1.488	1.527	1.488		1.000	
	4th 5th	0.687	0.749	0.687		0.749	
	5th 6th	0.58	0.749	0.58		0.634	
	Oth Reverse	3.732	4.597	0.58		4.597	
	Final	3.732	4.597	4.100	4.100	4.59/ 3.583	3.727
	4L/4H		2.482/1.000	4.100	4.100		3./2/
	41/40	2.482/1.000				2.482/1.000	
Darity of Cha. Differential							
Limited Slip Differential		-	_	—	-	•	-
Brake		-	_			•	_
Brake Front		-	_	Vertilated dise wi	th 2-pot calipers	•	
Brake Front Rear		-	-		th 2-pot calipers	•	
Brake Front Rear Suspension		-	-	Vertilated dise wi Leading and t	th 2-pot calipers railing drums	· ·	
Brake Front Rear Suspension Front				Vertilated dise wi Leading and t Independent, double wishbone, coil springs	ih 2-pot calipers railing drums with stabiliser bar and gas shock absorber	•	
Brake Front Rear Suspension Front Rear				Vertilated dise wi Leading and t	ih 2-pot calipers railing drums with stabiliser bar and gas shock absorber	•	Leaf spring with gas shock absorber
Brake Front Rear Suspension Front Rear Tires & Wheel				Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorber(rear over slug	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber }		Leaf spring with gas shock absorber
Brake Front Rear Suspension Front Rear		18%7.5[-33	18''\7.5 -33	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorber[rear over slug 18"7X7.5]-33	ih 2-pot calipers railing drums with stabiliser bar and gas shock absorber j) 177X7.01-33	• 16"X6.5J:41 STEEL	
Brake Front Rear Suspension Front Rear Tires & Wheel				Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorber(rear over slug	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber }		Leaf spring with gas shock absorber
Brake Front Rear Suspension Front Rear Tires & Wheel Wheel		18°X7.5J-33 Alloy Matte dark gray	18°X7.5⊱33 Alloy Matte dark gray	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorber(rear over slug 18**X7.5J:33 Alloy 2-tone machining	ih 2-pat calipers railing drums with stabiliser bar and gas shock absorber j) 17"X7.01;33 Alloy Silver	16°X6.5J41 STEEL	Leaf spring with gas shock absorber 15°X6.0J-41 STEEL
Brake Front Rear Suspension Front Rear Tires & Wheel Wheel Tires Spare tire		18°X7.5J-33 Allay Matte dark gray 205/60R18 All-Terrain	18"X7.5F33 Allay Matte dark gray 265/60R18 All-Terrain	Vertilated dise wi Leading and 1 Independent, double wishbone, coil springs eaf spring with gas shock absorber(rear over slug 18""X7.5[:33 Allay 2:tone machining 265/60R18 All-Terrain	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber a) 17"X7.0j-33 Alloy Silver 255/65R17	16"X6.5]-41 STEEL 205/R16C	Leaf spring with gas shock absorber 15"X6.0J-41 STEEL 195R15C
Brake Front Rear Suspension Front Rear Tires & Wheel Wheel Tires	Front	18°X7.5J-33 Allay Matte dark gray 205/60R18 All-Terrain	18"X7.5F33 Allay Matte dark gray 265/60R18 All-Terrain	Vertilated dise wi Leading and 1 Independent, double wishbone, coil springs eaf spring with gas shock absorber(rear over slug 18""X7.5[:33 Allay 2:tone machining 265/60R18 All-Terrain	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber a) 17"X7.0j-33 Alloy Silver 255/65R17	16"X6.5]-41 STEEL 205/R16C	Leaf spring with gas shock absorber 15"X6.0J-41 STEEL 195R15C
Brake Front Rear Suspension Front Rear Tires & Wheel Tires Spare fire Weight & Capacities		18°X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 18°X7.5J-33 STEEL	18°X7.5J-33 Alloy Mate dark gray 265/60R18 All-Terrain 18°X7.5J-33 STEEL	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorber(rear over slug 18"7X7.5J-33 Alloy 2-tone machining 265/60R18 AlT-errain 18"77.5J-33 STEEL	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber at 17°X7.0;-33 Alloy Silver 255/65R17 17°X7.0;-33 STEEL	16"X6.5J41 STEEL 205/R16C 16"X6.5J41 STEEL	Leaf spring with gas shock absorber 15°%6.0J-41 STEEL 195R15C 15°%6.0J-41 STEEL
Broke Front Rear Suspension Front Rear Tires & Wheel Tires Spare fire Weight & Capacities	Front	18°X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 18°X7.5J-33 STEEL 1,450	18°X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 18°X7.5J-33 STEEL 1,450	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorber(rear over slug 18"7X7.5J-33 Alloy 2-tone machining 265/60R18 All-Terrain 18°7X7.5J-33 STEEL 1,450	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber of 17"X7.0j-33 Alloy Silver 255/65R17 17"X7.0j-33 STEEL 1,450	16"X6.5J-41 STEEL 205/R16C 16"X6.5J-41 STEEL 1,450	Leaf spring with gas shock absorber 15"X6.0J-41 STEEL 195R15C 15"X6.0J-41 STEEL 1,250
Brake Front Rear Suspension Front Rear Tires & Wheel Wheel Tires Spare tire Weight & Capacities Gross axle weight [kg]	Front	18°X7.5]-33 Alloy Matte dark gray 265/60R18 All-Terrain 18°X7.5]-33 STEEL 1,450 1,500	18°X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 18°X7.5J-33 STEEL 1,450 1,500	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorber(rear over slug 18°7X7.5J-33 Alloy 2-tone machining 265/60R18 All-Terrain 18°X7.5J-33 STEEL 1,450 1,500	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber a) 17"X7.0J-33 Alloy Silver 255/65R17 17"X7.0J-33 STEEL 1,450 1,500	16"X6.5J-41 STEEL 205/R16C 16"X6.5J-41 STEEL 1,450 1,910	Leaf spring with gas shock absorber 15°X6.0J-41 STEEL 195R15C 15°X6.0J-41 STEEL 1,250 1,870
Brake Front Rear Suspension Front Rear Tires & Wheel Wheel Tires Spare tire Weight & Capacities Gross axle weight (kg) Gross vehicle weight (kg) Seating capacity (persons)	Front	18°X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 18°X7.5J-33 STEEL 1,450 1,500 2,600	18"X7.5J-33 Alloy Mate dark gray 265/60R18 All-Terrain 18"X7.5J-33 STEEL 1,450 1,500 2,600	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorbet(rear over slug 18"7X7.5J-33 Allay 2-tone machining 265/60R18 All-Terrain 18"X7.5J-33 STEEL 1,450 1,500 2,500	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber a) 17"X7.0J-33 Alloy Silver 255/65R17 17"X7.0J-33 STEEL 1,450 1,500 2,500	16'%6.5}41 STEEL 205/R16C 16'%6.5J41 STEEL 1,450 1,910 2,800	Leaf spring with gas shock absorber 1.5°X6.0J-41 STEEL 195R15C 1.5°X6.0J-41 STEEL 1,250 1,870 2,700
Brake Front Rear Suspension Front Rear Tires & Wheel Wheel Tires Spare tire Weight & Capacities Gross axle weight (kg) Gross vehicle weight (kg) Seating capacity (persons)	Front	18°X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 18°X7.5J-33 STEEL 1,450 1,500 2,600 2,025	18°X7.5J-33 Allay Matte dark gray 265/60R18 All-Terrain 18°X7.5J-33 STEEL 1,450 1,500 2,600 1,995	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorbet(rear over slug 18**X7.5J-33 Alloy 2+tone machining 265/60R18 AlT-errain 18*X7.5J-33 STEEL 1,450 1,500 2,500 1,850	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber alloy Silver 255/65817 17*X7.0J-33 255/65817 17*X7.0J-33 STEEL 1,450 1,500 2,500 1,815	16"X6.5J-41 STEEL 205/R16C 16"X6.5J-41 STEEL 1,450 1,910 2,800 1,885	Leaf spring with gas shock absorber 15°X6.0J-41 STEEL 195R15C 15°X6.0J-41 STEEL 1,250 1,870 2,700 1,670
Brake Front Rear Suspension Front Rear Tires & Wheel Wheel Tires Spare tire Weight & Capacities Gross axle weight [kg] Gross vehicle weight [kg] Kerb weight [kg]	Front	18°X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 18°X7.5J-33 STEEL 1,450 1,500 2,600 2,025	18°X7.5J-33 Allay Matte dark gray 265/60R18 All-Terrain 18°X7.5J-33 STEEL 1,450 1,500 2,600 1,995	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorbet(rear over slug 18**X7.5J-33 Alloy 2+tone machining 265/60R18 AlT-errain 18*X7.5J-33 STEEL 1,450 1,500 2,500 1,850	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber alloy Silver 255/65817 17*X7.0J-33 255/65817 17*X7.0J-33 STEEL 1,450 1,500 2,500 1,815	16"X6.5J-41 STEEL 205/R16C 16"X6.5J-41 STEEL 1,450 1,910 2,800 1,885	Leaf spring with gas shock absorber 15°X6.0J-41 STEEL 195R15C 15°X6.0J-41 STEEL 1,250 1,870 2,700 1,670
Brake Front Rear Suspension Front Rear Tires & Wheel Wheel Tires Spare tire Weight & Capacities Gross axle weight [kg] Gross vehicle weight [kg] Setting capacity (persons) Safety equipment	Front	18°X7.5J-33 Alloy Mate dark gray 265/60R18 All-Terrain 18°X7.5J-33 STEEL 1,450 1,500 2,600 2,025 5	18°X7.5F33 Alloy Matte dark gray 265/60R18 All-Terrain 18°X7.5F33 STEEL 1,450 1,500 2,600 1,995 5	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorber(rear over slug 18"%7.5}-33 Alloy 2-tane machining 26.5/60.R18 All-Terrain 18"%7.5}-33 STEEL 1.450 1.500 2.500 1.850 5	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber at 17°X7.0;133 Alloy Silver 255/65R17 17°X7.0;133 STEEL 1,450 1,450 1,500 2,500 1,815 5	16"X6.5J41 STEEL 205/R16C 16"X6.5J41 STEEL 1,450 1,910 2,800 1,885 3	Leaf spring with gas shock absorber 15°X6.0J-41 STEEL 195R15C 15°X6.0J-41 STEEL 1,250 1,870 2,700 1,670 3
Brake Front Rear Suspension Front Rear Tires & Wheel Wheel Tires Spare fire Weight & Capacities Gross axle weight (kg) Gross vehicle weight (kg) Seating capacity (persons) Safety equipment Dual SRS Airbags	Front	18"X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 18"X7.5J-33 STEEL 1,450 1,500 2,600 2,025 5	18"X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 18"X7.5J-33 STEEL 1,450 1,500 2,600 1,995 5	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorber(rear over slug 18""X7.5J-33 Alloy 2tone machining 265/60R18 All-Terrain 18"X7.5J-33 STEEL 1,450 1,500 2,500 1,850 5	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber p 17"X7.0J-33 Alloy Silver 255/65R17 17"X7.0J-33 STEEL 1,450 1,500 2,500 1,815 5	16"X6.5J41 STEEL 205/R16C 16"X6.5J41 STEEL 1,450 1,910 2,800 1,885 3	Leaf spring with gas shock absorber 15°X6.0J-41 STEEL 195R15C 15°X6.0J-41 STEEL 1,250 1,870 2,700 1,670 3 •
Brake Front Rear Suspension Front Rear Tirres & Wheel Wheel Tirres Spare tire Weight & Capacities Gross vehicle weight (kg) Gross vehicle weight (kg) Seating capacity (persons) Safety equipment Dual SRS Airbags SRS Side Airbags	Front	18°X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 18°X7.5J-33 STEEL 1,450 1,500 2,600 2,025 5 • •	18"X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 18"X7.5J-33 STEEL 1,450 1,500 2,600 1,995 5 5	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorber(rear over slug 18"%7.5J-33 Alloy 2-tone machining 265/60R18 All-Terrain 18%7.5J-33 STEEL 1,450 1,500 2,500 1,850 5 • •	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber al 17"X7.0J-33 Alloy Silver 255/65R17 17"X7.0J-33 STEEL 1,450 1,500 2,500 1,815 5 • •	16"X6.5J41 STEEL 205/R16C 16"X6.5J41 STEEL 1,450 1,910 2,800 1,885 3 • •	Leaf spring with gas shock absorber 15°X6.0J-41 STEEL 195R15C 15°X6.0J-41 STEEL 1,250 1,870 2,700 1,670 3 • -
Brake Front Rear Suspension Front Rear Tires & Wheel Wheel Tires Spare tire Weight & Copacities Gross ade weight [kg] Gross vehicle weight [kg] Seating capacity [persons] Safely equipment Dual SRS Airbags SRS Side Airbags SRS Roof Rail Airbags	Front	18°X7.5J-33 Alloy Matte dark gray 265/60R 18 All-Terrain 18°X7.5J-33 STEEL 1,450 1,450 1,500 2,600 2,025 5	18"X7.5J-33 Alloy Matte dark gray 205/60R18 All-Terrain 18"X7.5J-33 STEEL 1,450 1,450 1,500 2,600 1,995 5 5	Vertilated dise wi Leading and t Independent, double wishbone, coil springs ceaf spring with gas shock absorbet(rear over slug 18**X7.5):33 Alloy 2:tone machining 2:05/60R18 All-Terrain 18*X7.5):33 STEEL 1,450 1,500 2,500 1,850 5 - -	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber alloy Silver 255/65R17 17%7.0J-33 255/65R17 17%7.0J-33 STEEL 1,450 1,500 2,500 1,815 5 • • - -	16"X6.5J-41 STEEL 205/R16C 16"X6.5J-41 STEEL 1,450 1,910 2,800 1,885 3 	Leaf spring with gas shock absorber 15°X6.0J-41 STEEL 195R15C 15°X6.0J-41 STEEL 1,250 1,870 2,700 1,670 3 - -
Brake Front Rear Suspension Front Rear Tires & Wheel Tires Spare fire Weight & Capacities Gross axle weight [kg] Gross vehicle weight [kg] Seating capacity [persons] Sofety equipment Dual SRS Airbags SRS Side Airbags SRS Side Airbags SRS Knee Airbags	Front	18°X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 18°X7.5J-33 STEEL 1,450 1,500 2,600 2,025 5 • • • •	18"X7.5J-33 Allay Matte dark gray 265/60R18 All-Terrain 18"X7.5J-33 STEEL 1,450 1,500 2,600 1,995 5 5	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorber(rear over slug 18"X7.5J:33 Alloy 2tone machining 265/60R18 All-ferrain 1.8"X7.5J:33 STEEL 1.450 1.500 2.500 1.650 5 5	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber alloy Silver 255/65817 17*X7.0J-33 STEEL 1,450 1,500 2,500 1,815 5 • • - - -	16"X6.5J41 STEEL 205/R16C 16"X6.5J41 STEEL 1,450 1,910 2,800 1,885 3 	Leaf spring with gas shock absorber 15"X6.0J41 STEEL 195R15C 1.5"X6.0J41 STEEL 1,250 1,870 2,700 1,670 3 - - - -
Brake Front Rear Suspension Front Rear Tires & Wheel Wheel Tires Spare fire Weight & Capacities Gross axle weight [kg] Gross vehicle weight [kg] Gross vehicle weight [kg] Seating capacity (persons) Safety equipment Dual SRS Airbags SRS Side Airbags SRS Side Airbags ABS, EBD, BA	Front	18°X7.5J:33 Alloy Mate dark gray 265/60R18 All-Terrain 1.450 1.,450 1.,500 2.,600 2.,025 5 5 • • • • •	18°X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 1.450 1.450 1.500 2.600 1.995 5 5 • • - -	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorber(rear over slug 18"X7.5J:33 Alloy 2:tone machining 2:65/60R18 All-Ferrain 1.8'X7.5J:33 STEEL 1.450 1.650 2,500 1.850 5 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	th 2:pot calipers railing drums with stabiliser bar and gas shock absorber al 17"X7.0F.33 Alloy Silver 2.55/6.5817 1.7"X7.0F.33 STEEL 1.450 1.7"X7.0F.33 STEEL 1.450 1.500 2.500 1.815 5 - - - - -	16"X6.5J41 STEEL 205/R16C 16"X6.5J41 STEEL 1,450 1,910 2,800 1,885 3 3 • • - - -	Leaf spring with gas shock absorber 15"X6.0J-41 STEEL 195R15C 15"X6.0J-41 STEEL 1,250 1,870 2,700 1,670 3 - - - - - -
Brake Front Rear Suspension Front Rear Tires & Wheel Wheel Tires Spare fire Weight & Capacities Gross axle weight [kg] Gross oxle weight [kg] Seating capacity (persons) Safety equipment Dual SRS Airbags SRS Koof Rail Airbags SRS Koof Rail Airbags SRS Koof Rail Airbags SRS Koof Rail Airbags SRS Koof BA Brake override system (BOS)	Front	18°X7.5J:33 Alloy Matte dark gray 2655/60R18 All-Terrain 18°X7.5J:33 STEEL 1,450 1,500 2,600 2,025 5 5 • • • • • • •	18°X7.5F33 Alloy Matte dark gray 265/60R18 All-Terrain 18°X7.5F33 STEEL 1,450 1,500 2,600 1,995 5 5 • • - - -	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorber(rear over slug 18"%7.5}-33 Alloy 2 tone machining 265/60R18 All-Terrain 18"%7.5}-33 STEEL 1.450 1.500 2.500 1.850 5 5 • • • • • • •	th 2:pot calipers railing drums with stabiliser bar and gas shock absorber al 17"X7.0;33 Alloy Silver 255/65817 17"X7.0;33 STEEL 1,450 1,500 2,500 1,815 5 • • • • • • •	16"X6.5J41 STEEL 205/R16C 16"X6.5J41 STEEL 1,450 1,910 2,800 1,885 3 • - - - - - -	Leaf spring with gas shock absorber 15°X6.0J·41 STEEL 195R15C 15°X6.0J·41 STEEL 1,250 1,870 2,700 1,670 3 - - - - -
Brake Front Rear Suspension Front Rear Tires & Wheel Wheel Tires Spare tire Weight & Capacities Gross vehicle weight (kg) Gross vehicle weight (kg) Seating capacity (persons) Safety equipment Dual SRS Airbags SRS Side Airbags SRS Knee Airbags SRS, Ree Airbags SRS, Knee Airbags Brake overide system (BOS) Electronic stability control (ESC)	Front	18"X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 18"X7.5J-33 STEEL 1,450 1,500 2,600 2,025 5 • • • • • • • • •	18"X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 18"X7.5J-33 STEEL 1,450 1,500 2,600 1,995 5 5 • • - - - - - -	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorber(rear over slug 18"X7.5J-33 Alloy 2tone machining 265/60R18 All-Terrain 18"X7.5J-33 STEEL 1,450 1,500 2,500 1,850 5 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber al 17"X7.0J-33 Alloy Silver 255/65R17 17"X7.0J-33 STEEL 1,450 1,500 2,500 1,815 5 - - - - - - - - - - - -	16"X6.5J-41 STEEL 205/R16C 16"X6.5J-41 STEEL 1,450 1,910 2,800 1,885 3 - - - - - - - - - - - -	Leof spring with gas shock absorber 15°X6.0J-41 STEEL 195R15C 15°X6.0J-41 STEEL 1,250 1,250 1,870 2,700 1,670 3 - - - - - - - - - - - - -
Brake Front Rear Suspension Front Rear Tires & Wheel Wheel Tires Spare tire Weight & Capacities Gross vehicle weight [kg] Gross vehicle weight [kg] Seating capacity (persons) Safety equipment Dual SRS Airbags SRS Side Airbags SRS Knee Airbags SRS Knee Airbags SRS Knee Airbags Brake override system (BOS) Electronic stability control [ESC] Tiraction control system (TCS)	Front	18°X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 18°X7.5J-33 STEEL 1,450 1,500 2,600 2,025 5 5	18"X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 18"X7.5J-33 STEEL 1,450 1,500 2,600 1,995 5 5 • • - - • • • •	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorbet(rear over slug 18**X7.5J-33 Alloy 2-tone machining 205/00R18 All-Terrain 18*X7.5J-33 STEEL 1,450 1,500 2,500 1,850 5 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber alloy Silver 255/65R17 17%7.0J-33 255/65R17 17%7.0J-33 STEEL 1,450 1,500 2,500 1,815 5 • • • • • • • • • • •	16°X6.5J41 STEEL 205/R16C 16°X6.5J41 STEEL 1,450 1,910 2,600 1,885 3 - - - - - - - - - - - - -	Leaf spring with gas shock absorber 15°X6.0J-41 STEEL 195R15C 15°X6.0J-41 STEEL 1,250 1,870 2,700 1,670 3 - - - - - - - - - - - - -
Brake Front Rear Suspension Front Rear Tires & Wheel Wheel Tires Spare tire Weight & Capacities Gross axle weight [kg] Gross vehicle weight [kg] Seating capacity [persons] Sofely equipment Dual SRS Airbags SRS Side Airbags SRS Kee Airbags SRS Kee Airbags SRS Kee Airbags SRS Kee Airbags Brake override system (BOS) Electronic stability control (ESC) Traction control system (TCS) Hill start assist (HSA)	Front	18°X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 1.450 1.450 1.450 2.000 2.000 2.000 2.005 5 5	18°X7.5J-33 Allay Matte dark gray 265/60R18 All-Terrain 18°X7.5J-33 STEEL 1,450 1,450 2,600 1,995 5 5 • • • • • • • • • • • • • • • •	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorbet(rear over slug 18"X7.5J-33 Alloy 2+tone machining 265/60R18 AlT-errain 1.450 1.450 1.450 1.600 2.500 1.850 5 5 	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber	16"X6.5J41 STEEL 205/R16C 16"X6.5J41 STEEL 1,450 1,910 2,800 1,885 3	Leaf spring with gas shock absorber 15°X6.0J-41 STEEL 195R15C 15°X6.0J-41 STEEL 1,250 1,870 2,700 1,670 3 - - - - - - - - - - - - -
Broke Front Rear Suspension Front Rear Tires & Wheel Wheel Tires Spare tire Weight & Capacities Gross axle weight (kg) Gross vehicle weight (kg) Seating capacity (persons) Sofety equipment Dual SRS Airbags SRS Roch Rail Airbags SRS Kote Airbags SRS Kote Airbags SRS Kote Airbags Brake override system (ICS) Flied assite (IFSA) Hill bart assite (IFSA) Hill descent control (HDC)	Front	18'X7.5J-33 Alloy Matte dark gray 265/60R18 All-Terrain 1.450 1.500 2,600 2,600 2,600 2,025 5 5	18°X7.5F33 Alloy Matte dark gray 265/60R18 All-Terrain 18°X7.5F33 STEEL 1,450 1,500 2,600 1,995 5 5 • • • • • • • • • • • • • • • •	Vertilated dise wi Leading and t Independent, double wishbone, coil springs eaf spring with gas shock absorber(rear over slug 18"X7.5J:33 Alloy 2:tone machining 2:05/00R18 All-terrain 1.450 1.450 1.450 1.500 2.500 1.850 5 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	th 2-pot calipers railing drums with stabiliser bar and gas shock absorber alloy Silver 255/65817 17*X7.0J-33 5 1,450 1,500 2,500 1,815 5 - - - - - - - - - - - - - - - - - -	16"X6.5J41 STEEL 205/R16C 16"X6.5J41 STEEL 1,450 1,910 2,800 1,885 3 - - - - - - - - - - - - -	Leaf spring with gas shock absorber 15°X6.0J-41 STEEL 195R15C 15°X6.0J-41 STEEL 1,250 1,870 2,700 1,670 3 - - - - - - - - - - - - -





Country Awards Australia

<u> </u>		Crew	Regular Cab			
Model	V-Cros	s	Hi-Le	ander	Spark 4x4	Spark 4x2
	3.0 Ddi LSE	3.0 Ddi	1.9 Ddi	1.9 Ddi	3.0 Ddi	1.9 Ddi
	6AT	6MT	6AT	6MT	6MT	6MT
uipment						
Cruise control (ACC)	•	-	-	-	-	-
ous Emergency Brake (AEB)	•	-	-	-	-	_
Collision Warning (FCW)	•	-	-	-	-	_
arture Warning (LDW)	•	-	-	-	-	-
sapplication Mitigation (PMM)	•	-	-	_	-	-
peed Limiter (MSL)	•	-	-	-	-	-
: High Beam (AHB)	•	-	-	-	-	-
lision Brake (MCB)	•	-	-	-	-	-
t with AEB	•	-	-	_	-	-
ensor	 Front and Rear sensors 	 Rear sensor 	 Rear sensor 	 Rear sensor 	-	-
v camera	•	•	•	•	-	-
cy stop signal (ESS)	•	•	•	•	-	-
ay Auto Lock	•	_	•	_	-	-

INTERNATIONAL AWARDS



20

202 202 202

202

202

202

Best Work Ute 2020	
West Australian 2020 Ute of the Year	
(2020 Car of the Year Awards)	
2020 Best Ute of the Year (Car of the Year Award	s)
Best of the Best Award 2020	
Car Manufacturer of the Year 2020	
2021 Drive Car of the Year Awards	
(Best Dual Cab Ute Category)	
Good Design Award 2020 for Commercial vehicle	e,

Commercial vehicle-related instruments (G Mark) Good Design Award 2021 for Passenger car, Passenger car-related instruments (G Mark)

Car of the	Year Awards for Pick-up	1998-2021
------------	-------------------------	-----------

r	Awards From
0	Delivery Magazine Best LCV Awards
С	The West Australian Motoring
С	News Corp Australia's Motoring
0	Roy Morgan Customer Satisfaction Awards
С	Roy Morgan Customer Satisfaction Awards
1	Drive National Motoring Editor and Drive Car of the Year (DCOTY)
0	Japan Institute of Design Promotion (JDP)
1	Japan Institute of Design Promotion (IDP)Thailand

1998-2021 Bangkok International Motor Show

Country Awards

Philippi

Malav

Germo

Greec LIK

	Car of the Year Awards for Pick-up 1998-2021	1998-202
	Car of the Year Awards for SUV 2021	2021
	Asia Cross Country Rally Winner Awards 2018-2019	2018-201
	Most Admired Brand in the 1-ton Pickup and	
	Green Innovation Award	2010-202
	No.1 Brand in Thailand 2020-2021 (Pickup segment)	2020-202
	Product Innovation Awards 2020 for Pickup and SUV	2020
oines	Best In Pickup Category Isuzu D-MAX LS-E (2021)	2021
	Best Value for Money Pickup of The Year 2019-2020	2019-202
sia	Best Pickup Engine of the Year 2019	2019
	Pickup of the Year 2020	2020
	Best Diesel Engine of the Year 2020	2020
	Pickup Truck of the Year 2021	2021
	Pickup Truck of the Year 2021	2021
any	Green Light Truck Award 2019	2019
е	Best Pro Car 2019	2019
	Pick-up of the Year 2019	2019
	Best Working Pick-up in the Professional Pickup & 4x4 Awards	2019
	Winner Pick-up of the year 2019	2019
	BEST PICK-UP 2021	2021
	2021 Pick-Up of the Year	2021

Awards From Year 021 Bangkok International Motor Show

10 2021	bungkok international motor onow
2021	Bangkok International Motor Show
18-2019	Asia Cross Country Rally
10-2021	Brandage Magazine
20-2021	Marketeer Magazine
2020	Business Plus Magazine
2021	C! Magazine
19-2020	Auto Focus
2019	Carlist Page
2020	Drive Safe and Fast Page
2020	Carlist Page
2021	Carplus Page
2021	Drive Safe and Fast Page
2019	VerkehrsRundschau Magazine and
	Trucker Magazine
2019	Autotriti
2019	Pick-up & 4x4 Pro
2019	Professional Pickup & 4x4
	& Professional Van.com
2019	Commercial Fleet Awards 2019
2021	AT BUSINESS VANS AWARDS
2021	4x4 Magazine



ការចេនាខាងក្រៅកាន់តែប្រណិត និង លេចណ្តោរ

បច្ចេកវិទ្យាថ្មី សម្រួលដល់ការប្រើប្រាស់ប្រចាំថ្ងៃ

វិនាទី បន្ទាប់ពីពន្លត់ម៉ាស៊ីន

Follow Me Home



Welcome Light



Walk Away Auto Lock



សោរវៃឆ្លាត Smart Key

គ្រឿងបរិក្ខារខាងក្នុងកាន់តែប្រណិត បំពាក់ដោយពួកស្បែកជំនាន់ថ្មីទន់ល្អ

Statute of the Statutes.



កៅអីជួរទី២ធំទូលាយ ជាមួយកន្លែងដាក់ដៃ

ផ្ទៃខាងក្នុង និងទ្វារពោពេញដោយស្បែកប្រណិត

អេក្រង់កំសាន្តថាច់ស្ត្រីន ១ អ៊ីញ ជាមួយម៉ាស៊ីនត្រជាក់បែកចែក ស៊ីតុណ្ហភាពជា២ផ្សេងគ្នា

ម៉ាស៊ីនត្រជាក់សំរាប់ជួរទី២

កំលាំងខ្លាំង ស៊ីប្រេងតិច



FRONIC

6 លេខអូតូ និង លេខដៃ ជាមួយ Rev Tronic Mode



ISUZU Dynamic Drive Platform ជាថ្លេតហ្វមដែលធ្វើអោយ តួ សាក់ស៊ី ម៉ាស៊ីន និង ប្រព័ន្ធជើងក្រោម ធ្វើការជាមួយគ្នាបានល្អ



VGS Turbo Charger with Electronic ប្រព័ន្ធជំនួយកំ លាំងម៉ាស៊ីនអោយខ្លាំងជាមុន ហើយធ្វើការជាមួយអេ ឡិចត្រូនិច ដើម្បីអោយដំណើរការកាន់តែរលូន



HILANDER 1.9

កំលាំងសេះ 150 hp ស្មើនឹង 3,600 ស្មើនឹង កំលាំងរមូល 350 Nm ស្មើនឹង 1,800 – 2,600 ជុំ/នាទី

ISUZU





EURO 4 emission standards ស្តង់ដារម៉ាស៊ីនដែលបំភាយ ឧស្ម័នពុលកំរិតទាប

សុវត្ថិភាពខ្ពស់ និង អាយុកាលប្រើប្រាស់បានយូរអង្វែង



Short Explaination :

- Ventilated Disc Type : ហ្វ្រាំងឪសខាងមុខមានប្រហោងដែលមានខ្យល់ចេញចូល ធ្វើអោយសីតុណ្ហភាពទាប អាចចាប់ហ្វ្រាំងស៊ីបានល្អ ទោះបើកបរផ្លូវឆ្ងាយ ឬដឹកធុន់
- Ultra–High Steel : គ្រោងឆ្លឹងថ្មីប្រភេទដែកថែប Ultra–High មានភាពរឹងមាំ ដែលមានការពារការប៉ះទង្គិច ជុំវិញរថយន្ត មិនថាពីមុខ បុពីចំហៀង
- New Chassis : ប្រព័ន្ធជើងក្រោមថ្មីកាន់តែធន់ រឹងមាំ បើកបរគ្រប់ស្ថានភាពផ្លូវ និង សាក់ស៊ីក្រាស់ជាងមុន 23%*
- Brake Override System (BOS) : ប្រព័ន្ធកាត់បន្ថយកំលាំងម៉ាស៊ីនពេលដែលជាន់ ល្វែរ និង ហ្វ្រាំងស្របគ្នា
- Trailer Sway Control(TSC) : ប្រព័ន្ធកាត់បន្ថយការរេចង្កត ពេលមានសណ្តោងពីក្រោយ

ជ្រើសរើសពណ៌រថយន្តរបស់លោកអ្នក







DI	DIMENSION**		
ប្រវែងបណ្តោយ	5265 mm		
ប្រវែងទទឹង	1870 mm		
ប្រវែងកំពស់	1790 mm		
ប្រវែងគម្លាតកង់មុខ និងក្រោយ	3125 mm		
ប្រវែងកម្ពស់ពីដីទៅបាតរថយន្ត	240 mm		

**This Dimension Pertains to the RBD Grade





ពណ៌សកាម៉ៃ





*ប្រៀបធៀបជាមួយម៉ូឌែល 2020

ទីតាំងអគារបង្ហាញរថយន្ត ក្រុមហ៊ុន អ៊ីស៊ូហ៊្ស ខេ ខេមបុឌា (ទល់មុខព្រលានយន្តហោះពោធិ៍ចិនតុង) សំរាប់ព័ត៌មានបន្ថែម ឬ ចង់ធ្វើតេស្តបើកបរសាកល្បង សូមទូរស័ព្ទមកលេខ 023 900 798 / 077 66 88 99





ពណ៌ខ្មៅ



